

INFLATABLE TENT
FOR ALL CLIMATES & ENVIRONMENTS

**Joint Commissioning of Inflatable Tent by
Sr.Section Engineer Carriage And Wagon Erode, Southern Railway**



By SSE(C&W)/KGP (West Bengal), South Eastern Railway



Medihelp Healthcare Pvt. Ltd.

6052/1, D-6, Vasant Kunj, New Delhi-110070, Ph. 011-4605 2020, 9871 555 932, Web : medihelpindia.in

Inspected By Rites



Medihelp Healthcare Pvt. Ltd.

6052/1, D-6, Vasant Kunj, New Delhi-110070, Ph. 011-4605 2020, 9871 555 932, Web : medihelpindia.in

Model No. ARZ 40

7,55 x 5,50 m = ca. 41,00 m²
Height side wall: 2,00 m
Height at ridge: 2,95 m
Packing size: approx. ca. 125x95x60 cm
Weight: approx. ca. 124 kg



Frame
Completely inflatable, of airtight double-sided PVC coated polyester fabric [1,100 g/m²], fastened with Velcro closures to the tent skin and floor. Easy replacement of tent skin, floor and frame. The tents can be set up in 1.5 minutes using the compressed air kit. Depending on tent size, assembly takes 2-4 minutes when using an electric blower. A pressure relief valve prevents excessive pressure in the frame.

Tent skin
Tent skin: One-sided PU coated polyester fabric [240 g/m²]; flame retardant, waterproof and mildew resistant design. Available in 11 colours. Tent skin of double-sided PVC coated polyester fabric also available.

Floor
Floor covering of double-sided PVC coated polyester fabric [550 g/m²]. Available with non-slip embossing as option [850 g/m²].

Model No. AZF 42

Base area approx. 42 m²
Width approx. 5.60 m, Length approx. 7.55 m
Wall height approx. 2.20 m, Total height 2.80 m
Diameter of air beam 35 cm, Diameter of ridge purlin 35 cm
Operating pressure 0.30 bar
Weight of tent approx. 180 kg



Frame
Main beams and ridge beams inflatable, made of airtight double-sided PVC coated polyester fabric [1,100 g/m²], fixed to the cover and floor. Eaves purlins made of aluminium. Easy replacement of cover and frame. The tents can be set up in 4-7 minutes, depending of the tent size. A pressure relief valve prevents excessive pressure in the frame.

Tent skin
Tent skin is made of double-sided PVC coated polyester fabric [750 g/m²]; flame resistant, waterproof and mildew resistant.

Floor
Floor covering of double-sided PVC coated polyester fabric [750 g/m²]. Available with non-slip embossing as option [850 g/m²].

Medihelp Healthcare Pvt. Ltd.

6052/1, D-6, Vasant Kunj, New Delhi-110070, Ph. 011-4605 2020, 9871 555 932, Web : medihelpindia.in